



Recent Favorites

- information\_schema
- performance\_schema
- rodneyh

Run SQL query/queries on server "localhost":

```
1 CREATE DATABASE sitename;  
2 USE sitename;
```

Laboratory 2 x informatics.mercer.edu / localh: x +

← → ↻ Not secure informatics.mercer.edu/phpmyadmin/index.php?route=/server/sql ☆

phpMyAdmin

Server: localhost:3306

Databases SQL Status Export Import Settings Variables Charsets Engines Plugins

Run SQL query/queries on server "localhost":

```
1 CREATE DATABASE sitename;
2 USE sitename;
3 mysql> CREATE TABLE users (
4     user_id MEDIUMINT UNSIGNED NOT NULL
5     AUTO_INCREMENT,
6     first_name VARCHAR(20) NOT NULL,
7     last_name VARCHAR(40) NOT NULL,
8     email VARCHAR(60) NOT NULL,
9     pass CHAR(128) NOT NULL,
10    registration_date DATETIME NOT NULL,
11    PRIMARY KEY (user_id)
12 );
13 Query OK, 0 rows affected (0.08 sec)
14 mysql>
```

Recent Favorites

- information\_schema
- performance\_schema
- rodneyh

- Recent Favorites
- information\_schema
- performance\_schema
- rodnevh

Run SQL query/queries on server "localhost":

```
2 USE sitename;
3 mysql> CREATE TABLE users (
4     user_id MEDIUMINT UNSIGNED NOT NULL
5     AUTO_INCREMENT,
6     first_name VARCHAR(20) NOT NULL,
7     last_name VARCHAR(40) NOT NULL,
8     email VARCHAR(60) NOT NULL,
9     pass CHAR(128) NOT NULL,
10    registration_date DATETIME NOT NULL,
11    PRIMARY KEY (user_id)
12 );
13 Query OK, 0 rows affected (0.08 sec)
14 mysql>
15 mysql> INSERT INTO USERS (first_name, email)
16 VALUES ('Larry', 'Larry@LarryUllman.com');
17 mysql> SHOW WARNINGS;
```